

# PU EAR PLUGS - EN352-2:1993

PU Foam SoundStopper	H = 32		M = 30		L = 30		SNR = 33
Frequency (Hz)	125	250	500	1000	2000	4000	8000
Mean Attenuation (db)	31.9	37.0	38.3	36.8	34.6	40.1	41.3
Standard Attention (db)	6.8	6.7	7.7	8.1	3.3	5.0	4.0
Assumed Protection (db)	25.1	30.3	30.6	28.7	31.3	35.1	37.3



## Wearer Information

This product may be adversely affected by certain chemical substances. Further information should be sought from the manufacturer. For greater protection and comfort this product should be:

1. Fitted in accordance with these instructions
2. Worn at all times the user is exposed to noise
3. Regularly inspected for wear and damage.



Store in a cool, dry place. When not in use or during transportation, the plugs should be stored in a container out of direct sunlight, away from chemicals and abrasive substances to prevent damage by physical contact with hard surfaces/items.



As required by European Health and Safety recommendations, the user is advised that when the ear plug is in contact with the wearer's skin, it may cause allergic reaction to susceptible individuals. If this is the case, leave the hazard area, remove the ear plugs and doctor's advice should be obtained.



**WARNING:** The protection afforded will be severely impaired if the fitting instructions and recommendations are not followed.



WORSHAM MILL, MINSTER LOVELL,  
OXFORD, OX29 0TA  
TEL: +44(0)199382400 FAX: +44(0)199382422  
© Web: www.jsp.co.uk